



Teldene® H17ML
SAFETY DATA SHEET
TO UK & EC REGULATIONS

Version: 4.4

Date of issue: 04/04/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product Identifiers

| | |
|--------------------|---------------------------------------|
| Chemical Name | Polypropylene (1-propene homopolymer) |
| Trade Name | Teldene® H17ML |
| CAS No. | 9003-07-0 |
| EC No. | None assigned |
| REACH registration | Components are registered |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|----------------------|--|
| Identified uses | Raw material for the plastics processing industry. (Injection molding, extrusion and others). |
| Uses advised against | Uses involving permanent implantation into the body and life-sustaining medical applications and health care sector. |

1.3 Details of the supplier of the Safety Data Sheet

| | |
|------------------------|---|
| Company Identification | National Petrochemical Ind. Co. P. O. Box 31469 Yanbu 41912, Yanbu, Saudi Arabia |
| Contact | Mr. Neaz Ahmed. |
| E-mail | nahmed@natpet.com |
| Telephone | + 966 14 324 6066, + 966 14 324 6036 |
| UK Only Representative | Regulatory Compliance Services Ltd 5 Telford Gardens, Brewood, Staffordshire, ST199ED |
| Telephone | + 44 (0)192850460 |
| E-mail | glloyd@regsl.co.uk |

1.4 Emergency telephone numbers

| | |
|------------------------------------|--|
| Company emergency telephone number | 00 966 505479408 |
| Opening hours | 07-30 to 16-30 (Riyadh time) 5 days (Sunday to Thursday) |
| Europe-wide emergency number | 112 |
| National Emergency Telephone | UK. Professionals only. UK National Poisons Information Service +44 844 892 0111. +44 870 600. 6266. 0845 4647 (national number). 08454 24 24 24. (National number). |



SECTION 2: HAZARDS IDENTIFICATION

- 2.1 EC Classification** Not classified
- 2.2 Other Hazards** Molten polymer will adhere to the skin causing deep thermal burns. Caution - spillages may be slippery. Dust clouds are sensitive to ignition by electrostatic discharge. Avoid generation of dust. The working steams: process hazards, may cause irritation to skin and respiratory system.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Composition | %w/w | CAS No. | Hazard classification |
|---------------------------------------|--------------|-----------|-----------------------|
| Polypropylene (1-propene homopolymer) | > 99.5 (min) | 9003-07-0 | Not classified |

Contains temperature stabilisers. Contains no hazardous ingredients

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

- Inhalation** Remove to fresh air immediately. Keep patient at rest and give oxygen if breathing difficult. Wash out mouth with water. Clear nasal passages. If symptoms persist, obtain medical attention.
- Skin Contact** Molten material can cause severe burns. Do NOT try to peel molten material from the skin. Cool rapidly with water. Seek medical treatment.
- Eye Contact** Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.
- Ingestion** Do NOT induce vomiting. If conscious, give 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, obtain medical attention.

- 4.2 Most important symptoms and effects, both acute and delayed** Molten material can cause severe burns. Dust may have irritant effect on eyes.

- 4.3 Indication of immediate medical attention and special treatment needed** See 4.1 eye contact / skin contact



SECTION 5: FIRE-FIGHTING MEASURES

| | | |
|-----|---|---|
| 5.1 | Extinguishing Media | Foam, CO ₂ or dry powder. As appropriate for surrounding fire. |
| 5.2 | Unsuitable Extinguishing Media | Do not use water jet, water spray. |
| 5.3 | Fire Fighting Protective Equipment | A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. |
| 5.4 | Hazardous Decomposition Products | Thermal decomposition will evolve toxic and irritant vapours. (400 °C and 700 °C). Can melt and burn in a fire. Molten polymer will adhere to the skin causing deep thermal burns. Heat value 8000-11000 kcal/kg. |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| | | |
|-----|---|---|
| 6.1 | Personal precautions | Ensure suitable personal protection (including respiratory protection) during removal of spillages. |
| 6.2 | Environmental precautions | Do not allow to enter drains, sewers or watercourses. |
| 6.3 | Methods and material for containment and cleaning up | Vacuum or sweep up, transfer to a container, seal ready for disposal. Recover or recycle if possible. |
| 6.4 | Additional Information | Dust clouds are sensitive to ignition by electrostatic discharge. Caution - spillages may be slippery. |

SECTION 7: HANDLING AND STORAGE

| | | |
|-----|-----------------|---|
| 7.1 | Handling | Do not breathe dust. Do not eat, drink or smoke at the work place. Wash face and hands before eating, drinking or smoking. Avoid contact with skin and eyes. Use only with adequate ventilation or closed system ventilation. When bringing the material to processing temperatures, gases may develop, forming: propylene, hydrocarbon substances with low molecular weight and their oxidation products solvent residues, traces of formaldehyde, acrylaldehyde, and traces of acids (formic acid, acetic acid). Take precautionary measures against static discharges. |
| 7.2 | Storage | Keep only in the original containers. Keep container dry, tightly closed in a cool, well-ventilated place. It is recommended not to double stack octabins. Ground/bond container and receiving equipment. No open flames, no sparks and no smoking. |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits None assigned

8.1.2 Exposure limit values for possible processing dangers

| SUBSTANCE. | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m ³) | STEL (ppm) | STEL (mg/m ³) | Note |
|-------------------------------------|----------|---------------------|------------------------------------|------------|---------------------------|-------|
| Dust or powder (total particulates) | | | 10 | | | ACGIH |
| Acrylaldehyde | 107-02-8 | 0.1 | 0.23 | 0.3 | 0.7 | OES |
| Formaldehyde | 50-00-0 | 2.0 | 2.5 | 2.0 | 2.5 | MEL |
| Formic acid | 64-18-6 | 5.0 | 9.6 | | | ILV |
| Acetic acid | 64-19-7 | 10 | 25 | 15 | 37 | OES |

8.2 Biological limit values Not known
DNELS & PNECS Not known

8.3 Exposure controls

8.3.1 Appropriate engineering controls Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved.

8.3.2 Personal protection equipment



Respiratory protection Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Where engineering controls are not fitted or inadequate wear suitable respiratory protective equipment.



Eye/face protection Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other) Avoid contact with skin, eyes or clothing. Protective gloves. (EU Directive 89/686/EEC & EN 374)

Thermal hazards Wear insulating gloves EN407 (heat).

Hygiene measures No smoking. Wash hands before breaks and immediately after using the product. Wash face and hands before eating, drinking or smoking. Wash thoroughly after contact with skin areas. Remove contaminated clothing and wash clothing before reuse. Do not eat, drink or smoke when using this product.

Environmental Exposure Controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Do not allow to enter drains, sewers or watercourses.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|------------|--|--|
| 9.1 | Information on basic physical and chemical properties | |
| | Appearance | Granular |
| | Colour | White |
| | Odour | Odourless |
| | Melting Point (°C) | 160-163 |
| | Boiling point/boiling range: | Not applicable |
| | Flash Point | Not applicable |
| | pH | Not applicable |
| | Flammability | Not applicable |
| | Auto Ignition Temperature (°C) | > 400 |
| | Density (g/cm ³ @ 20 °C) | 0.89 - 0.91 |
| | Solubility Water | Insoluble |
| | Solubility solvents | Soluble in: Chlorinated solvents |
| | Partition Coefficient | Not applicable |
| | Decomposition Temp (°C) | > 300 |
| | Surface tension | Not applicable |
| | Vapour Pressure (mm Hg) | Not applicable |
| | Explosive properties | Not explosive. Unlikely to present a dust hazard under normal handling conditions. |
| | Oxidising properties | Not applicable |
| 9.2 | Other information | None known |

SECTION 10: STABILITY AND REACTIVITY

| | | |
|-------------|---|---|
| 10.1 | Reactivity | Not reactive |
| 10.2 | Chemical stability | Stable under normal conditions |
| 10.3 | Conditions to avoid | Heat and direct sun light |
| 10.4 | Incompatible materials | Not known |
| 10.5 | Hazardous Decomposition Products | No hazardous decomposition products known at room temperature. Thermal decomposition will evolve toxic and irritant vapours. |

SECTION 11: TOXICOLOGICAL INFORMATION

| | | |
|-------------|---|--|
| 11.1 | Information on toxicological effects | |
| | Ingestion Acute LD ₅₀ | No data |
| | Dermal Acute LD ₅₀ | No data |
| | Skin contact | Dust may cause irritation |
| | Eye contact | Dust may cause irritation |
| | Respiratory or skin sensitisation | None known. |
| | Mutagenicity | There is no evidence of mutagenic potential. |
| | Carcinogenicity | No evidence of carcinogenicity |
| | Reproductive toxicity | Not classified |
| 11.2 | Other information | None known |



SECTION 12: ECOLOGICAL INFORMATION

| | | |
|------|---|---|
| 12.1 | Toxicity | No data available |
| 12.2 | Persistence and degradability | The substance is non biodegradable. |
| 12.3 | Bioaccumulative potential | The substance has no potential for bioaccumulation. |
| 12.4 | Mobility in soil | Not applicable. |
| 12.5 | Results of PBT and vPvB assessment | Not classified as PBT or vPvB. |
| 12.6 | Other adverse effects | Small particles may have physical effects on aquatic and terrestrial organisms. |

SECTION 13: DISPOSAL CONSIDERATIONS

| | | |
|------|-------------------------------|---|
| 13.1 | Regulatory information | Disposal should be in accordance with local, state or national legislation. |
| 13.2 | Recommended | Normal disposal is via incineration operated by an accredited disposal contractor. Refer to manufacturer/supplier for information on recovery/recycling. EU Waste code 070213 |

SECTION 14: TRANSPORT INFORMATION

| | | |
|------|---|---|
| 14.1 | Land transport (ADR/RID) | Not classified as dangerous for transport |
| 14.2 | Sea transport (IMDG) | Not classified as dangerous for transport |
| 14.3 | Air transport (ICAO/IATA) | Not classified as dangerous for transport |
| 14.4 | Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not classified as dangerous for transport |

SECTION 15: REGULATORY INFORMATION

| | | |
|--------|---|--|
| 15.1 | Safety, health and environmental regulations/legislation specific for the substance or mixture | |
| 15.1.1 | EU regulations | User to follow EU directives and regulations |
| | Authorisations/restrictions on use | Not applicable. |
| 15.1.2 | National regulations | User to follow national regulations |

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Section 1.3- change of address for the Only Representative

Legend

| | |
|----------|---|
| LTEL | Long Term Exposure Limit |
| STEL | Short Term Exposure Limit |
| STOT | Specific Target Organ Toxicity |
| DNEL | Derived No Effect Level |
| PNEC | Predicted No Effect Concentration |
| PBT/vPvB | Persistent, bioaccumulative and toxic/very Persistent-very Bioaccumulative. |

| | |
|-------------------|--|
| References | Regulation (EC) No.1272/2008 & 453/2010 (CLP) Directive 67/548/EEC & Directive 1999/45/EC |
|-------------------|--|



Classification Not classified

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. The company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. The company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.